

ANELLI DI TENUTA / OILSEALS



ANELLO tipo A



ANELLO tipo AS
(RP)

| Dimensioni | | Tipo | | Dimensioni | | Tipo | | Dimensioni | | Tipo | |
|------------|----|-----------|----|------------|----|------|--|------------|--|------|--|
| 15/24/5 | A | 17/40/7 | AS | 22/35/7 | AS | | | | | | |
| 15/24/7 | A | 17/40/8,5 | A | 22/40/7 | A | | | | | | |
| 15/24/7 | AS | 18/28/7 | A | 22/40/7 | AS | | | | | | |
| 15/25/5 | A | 18/28/7 | AS | 22/47/7 | A | | | | | | |
| 15/26/7 | A | 18/30/5 | A | 23/42/10 | A | | | | | | |
| 15/26/7 | AS | 18/30/7 | A | 24/35/7 | A | | | | | | |
| 15/27/7 | A | 18/32/7 | A | 24/36/7 | A | | | | | | |
| 15/28/4 | A | 18/32/7 | AS | 24/36/7 | AS | | | | | | |
| 15/28/7 | A | 18/35/7 | A | 24/37/7 | A | | | | | | |
| 15/30/4,5 | A | 18/35/7 | AS | 24/40/7 | A | | | | | | |
| 15/30/7 | A | 18/35/10 | A | 24/40/7 | AS | | | | | | |
| 15/30/10 | AS | 18/40/7 | A | 24/47/7 | A | | | | | | |
| 15/32/7 | A | 20/30/5 | A | 25/35/7 | A | | | | | | |
| 15/35/7 | A | 20/30/5 | AS | 25/35/7 | AS | | | | | | |
| 15/35/7 | AS | 20/30/7 | A | 25/37/5 | A | | | | | | |
| 15/35/10 | A | 20/30/7 | AS | 25/38/7 | A | | | | | | |
| 15/40/10 | A | 20/32/7 | A | 25/38/7 | AS | | | | | | |
| 15/42/7 | A | 20/32/7 | AS | 25/40/7 | A | | | | | | |
| 16/22/4 | A | 20/32/7 | AS | 25/40/7 | AS | | | | | | |
| 16/22/4 | A | 20/35/7 | A | 25/40/8 | AS | | | | | | |
| 16/24/5 | A | 20/35/7 | AS | 25/40/10 | A | | | | | | |
| 16/26/7 | A | 20/35/10 | A | 25/42/7 | A | | | | | | |
| 16/28/7 | A | 20/38/7 | A | 25/42/7 | AS | | | | | | |
| 16/28/7 | AS | 20/40/7 | A | 25/42/7 | AS | | | | | | |
| 16/30/7 | A | 20/40/7 | AS | 25/42/8,5 | A | | | | | | |
| 16/32/7 | A | 20/40/10 | A | 25/42/10 | A | | | | | | |
| 16/35/7 | A | 20/42/6 | AS | 25/42/10 | AS | | | | | | |
| 17/26/6 | A | 20/42/7 | A | 25/45/10 | A | | | | | | |
| 17/28/6 | A | 20/42/7 | AS | 25/46/7 | A | | | | | | |
| 17/28/7 | A | 20/42/10 | A | 25/47/7 | A | | | | | | |
| 17/28/7 | AS | 20/47/7 | A | 25/47/7 | AS | | | | | | |
| 17/28/8 | A | 20/47/7 | AS | 25/47/10 | A | | | | | | |
| 17/30/5 | AS | 20/47/10 | A | 25/47/10 | AS | | | | | | |
| 17/30/7 | A | 20/48/7 | AS | 25/50/10 | AS | | | | | | |
| 17/30/7 | AS | 20/52/10 | AS | 25/52/7 | A | | | | | | |
| 17/32/7 | A | 20/72/10 | A | 25/52/7 | AS | | | | | | |
| 17/35/7 | A | 22/32/5,5 | A | 25/52/8 | A | | | | | | |
| 17/35/8 | A | 22/32/7 | A | 25/52/10 | A | | | | | | |
| 17/35/8 | AS | 22/32/7 | AS | 25/52/10 | AS | | | | | | |
| 17/37/4 | A | 22/35/6 | A | 25/62/7 | AS | | | | | | |
| 17/40/7 | A | 22/35/7 | A | 25/62/10 | A | | | | | | |

ANELLI DI TENUTA / OILSEALS

| Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo |
|------------|------|------------|------|------------|------|------------|------|------------|------|
| 26/47/7 | A | 30/62/7 | AS | 35/62/7 | A | 40/58/10 | A | 45/58/8 | AS |
| 26/52/10 | AS | 30/62/10 | A | 35/62/7 | AS | 40/58/10 | AS | 45/60/7 | A |
| 27/37/7 | A | 30/62/10 | AS | 35/62/8 | AS | 40/60/10 | A | 45/60/7 | AS |
| 28/38/7 | A | 30/72/10 | A | 35/62/10 | A | 40/60/10 | AS | 45/60/8 | A |
| 28/38/7 | AS | 32/42/7 | A | 35/62/10 | AS | 40/62/7 | A | 45/60/8 | AS |
| 28/40/7 | A | 32/45/7 | A | 35/67/7 | A | 40/62/7 | AS | 45/62/8 | A |
| 28/40/7 | AS | 32/45/7 | AS | 35/68/10 | AS | 40/62/10 | A | 45/62/10 | A |
| 28/42/10 | A | 32/47/7 | A | 35/72/10 | A | 40/62/10 | AS | 45/62/10 | AS |
| 28/47/7 | A | 32/50/8 | A | 35/72/10 | AS | 40/63/10 | A | 45/65/8 | A |
| 28/47/7 | AS | 32/50/10 | A | 35/80/10 | AS | 40/65/10 | A | 45/65/8 | AS |
| 28/47/10 | A | 32/52/7 | A | 36/47/7 | A | 40/68/8 | A | 45/65/10 | A |
| 28/50/10 | A | 32/52/7 | AS | 36/47/7 | AS | 40/68/10 | A | 45/65/10 | AS |
| 28/52/7 | A | 33/50/6 | AS | 36/50/7 | A | 40/70/10 | A | 45/66/10 | A |
| 30/40/5 | A | 34/46/10 | A | 36/50/10 | A | 40/72/7 | A | 45/68/10 | A |
| 30/40/7 | A | 34/50/10 | A | 36/52/7 | A | 40/72/10 | A | 45/72/7 | A |
| 30/40/7 | AS | 34/52/10 | A | 36/62/7 | A | 40/72/10 | AS | 45/72/8 | A |
| 30/42/7 | A | 35/45/7 | A | 38/50/7 | A | 40/80/10 | A | 45/72/8 | AS |
| 30/42/7 | AS | 35/45/10 | A | 38/52/7 | A | 40/80/10 | AS | 45/72/10 | A |
| 30/42/8 | AS | 35/47/4,5 | A | 38/52/7 | AS | 40/90/10 | A | 45/75/8 | A |
| 30/44/10 | A | 35/47/7 | A | 38/54/10 | AS | 42/55/8 | A | 45/75/8 | AS |
| 30/45/8 | A | 35/47/7 | AS | 38/55/7 | A | 42/56/7 | A | 45/75/10 | AS |
| 30/47/7 | A | 35/50/7 | A | 38/62/7 | A | 42/56/7 | AS | 45/80/10 | A |
| 30/47/7 | AS | 35/50/8 | AS | 38/62/7 | AS | 42/58/10 | A | 45/80/10 | AS |
| 30/47/10 | A | 35/50/10 | A | 38/62/10 | A | 42/62/7 | A | 45/80/13 | A |
| 30/50/7 | A | 35/52/6 | AS | 38/72/10 | A | 42/62/8 | A | 45/85/10 | AS |
| 30/50/10 | A | 35/52/7 | A | 40/50/5 | A | 42/62/10 | A | 45/90/10 | AS |
| 30/52/7 | A | 35/52/7 | AS | 40/50/7 | AS | 42/62/10 | AS | 45/100/10 | A |
| 30/52/7 | AS | 35/52/10 | A | 40/52/7 | A | 42/65/10 | A | 45/100/12 | A |
| 30/52/10 | A | 35/52/10 | AS | 40/52/7 | AS | 42/72/8 | A | 46/64/8 | A |
| 30/52/10 | AS | 35/55/9 | AS | 40/55/7 | A | 42/72/10 | A | 46/64/14 | AS |
| 30/55/7 | A | 35/55/10 | A | 40/55/7 | AS | 43/55/9,5 | AS | 47/58/6 | A |
| 30/55/10 | A | 35/55/10 | AS | 40/55/8 | A | 45/55/7 | A | 47/67/10 | AS |
| 30/55/10 | AS | 35/56/10 | A | 40/55/8 | AS | 45/56/7 | A | 48/62/8 | A |
| 30/60/10 | A | 35/56/10 | AS | 40/56/8 | A | 45/57/10 | AS | 48/65/10 | A |
| 30/62/7 | A | 35/60/10 | A | 40/56/8 | AS | 45/58/7 | AS | 48/65/10 | AS |

ANELLI DI TENUTA / OILSEALS

| Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo |
|------------|------|------------|------|------------|------|------------|------|--------------|------|
| 48/67/10 | AS | 53/79/10 | A | 60/85/8 | A | 70/85/10 | A | 78/90/8 | A |
| 48/68/10 | AS | 54/85/10 | A | 60/85/8 | AS | 70/90/10 | A | 78/100/10 | A |
| 48/72/8 | A | 55/68/8 | A | 60/85/10 | A | 70/90/10 | AS | 78/110/12 | A |
| 48/72/8 | AS | 55/70/8 | A | 60/85/10 | AS | 70/95/12 | AS | 80/100/10 | A |
| 48/72/10 | A | 55/70/10 | A | 60/90/8 | A | 70/95/13 | A | 80/100/10 | AS |
| 48/80/10 | A | 55/72/8 | A | 60/90/8 | AS | 70/100/10 | A | 80/100/13 | AS |
| 49/65/10 | A | 55/72/8 | AS | 60/90/10 | A | 70/100/10 | AS | 80/105/10 | A |
| 49.5/60/8 | A | 55/72/10 | A | 60/90/10 | AS | 70/102/12 | A | 80/105/12 | A |
| 50/65/8 | A | 55/72/10 | AS | 60/110/13 | A | 70/110/10 | AS | 80/105/13 | A |
| 50/65/8 | AS | 55/75/10 | A | 60/130/12 | A | 70/110/12 | A | 80/110/10 | A |
| 50/65/10 | A | 55/75/12 | A | 60/140/15 | AS | 70/110/12 | AS | 80/110/10 | AS |
| 50/68/8 | A | 55/80/5 | A | 62/85/10 | A | 70/120/12 | A | 80/125/10 | AS |
| 50/68/8 | AS | 55/80/6 | A | 62/90/10 | A | 70/150/12 | A | 82/105/12 | A |
| 50/68/10 | A | 55/80/8 | A | 62/90/10 | AS | 72/85/10 | A | 82/105/10/12 | AS |
| 50/68/10 | AS | 55/80/8 | AS | 62/100/12 | A | 72/90/10 | A | 85/100/18 | AS |
| 50/70/10 | A | 55/80/10 | A | 63/80/9 | AS | 72/95/10 | A | 85/105/8 | A |
| 50/70/10 | AS | 55/85/8 | A | 63/85/10 | A | 72/95/12 | A | 85/105/13 | A |
| 50/72/8 | A | 55/85/10 | AS | 63/90/10 | A | 72/100/10 | A | 85/110/12 | A |
| 50/72/8 | AS | 55/90/8 | A | 64/80/8 | A | 72/100/10 | AS | 85/110/12 | AS |
| 50/72/10 | A | 55/90/8 | AS | 65/80/8 | A | 72/110/12 | A | 85/120/12 | A |
| 50/72/10 | AS | 55/90/10 | A | 65/80/10 | AS | 75/90/8 | A | 85/130/12 | A |
| 50/72/12 | AS | 55/90/10 | AS | 65/85/8 | A | 75/90/8 | AS | 85/130/12 | AS |
| 50/75/10 | A | 55/100/10 | AS | 65/85/10 | A | 75/90/10 | A | 85/140/12 | A |
| 50/80/8 | A | 55/100/12 | A | 65/85/10 | AS | 75/90/12 | A | 85/140/12 | AS |
| 50/80/8 | AS | 55/120/12 | A | 65/90/10 | A | 75/90/12 | AS | 88/105/12 | A |
| 50/80/10 | A | 56/70/8 | A | 65/90/10 | AS | 75/95/9 | AS | 88/110/12 | A |
| 50/80/10 | AS | 56/72/8 | A | 65/95/10 | A | 75/95/10 | A | 88/140/12 | A |
| 50/90/10 | AS | 56/80/8 | A | 65/100/10 | A | 75/95/10 | AS | 88/150.5/13 | A |
| 50/110/12 | A | 56/85/8 | A | 65/100/10 | AS | 75/95/12 | A | 90/110/12 | A |
| 52/62/8 | A | 58/72/8 | A | 65/125/12 | A | 75/100/10 | A | 90/110/12 | AS |
| 52/68/8 | A | 60/75/8 | AS | 68/90/10 | A | 75/100/10 | AS | 90/110/13 | A |
| 52/68/8 | AS | 60/80/7 | AS | 68/90/10 | AS | 75/110/12 | A | 90/115/9 | A |
| 52/72/8 | A | 60/80/8 | A | 68/100/10 | A | 75/110/12 | AS | 90/115/13 | AS |
| 52/85/10 | A | 60/80/10 | A | 70/85/8 | A | 75/120/12 | A | 90/120/12 | A |
| 52/85/10 | AS | 60/80/10 | AS | 70/85/8 | AS | 76/100/16 | AS | 90/120/13 | A |

ANELLI DI TENUTA / OILSEALS

| Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo | Dimensioni | Tipo |
|------------|------|------------|------|--------------|------|------------|------|------------|------|
| 90/120/13 | AS | 110/200/13 | A | 140/170/15 | A | 180/200/13 | A | 280/310/15 | A |
| 90/130/12 | A | 115/130/12 | A | 140/170/15 | AS | 180/210/15 | A | 280/320/20 | A |
| 90/130/12 | AS | 115/140/10 | A | 140/180/12 | A | 180/210/15 | AS | 280/320/20 | AS |
| 90/130/13 | A | 115/140/12 | A | 140/180/12 | AS | 180/215/16 | A | 290/334/20 | A |
| 90/160/12 | A | 115/140/12 | AS | 140/180/13 | A | 180/220/15 | A | 300/340/18 | A |
| 92/120/13 | A | 115/150/12 | A | 140/180/13 | AS | 185/215/16 | A | 300/340/18 | AS |
| 95/110/10 | A | 120/140/13 | A | 140/180/15 | A | 185/220/15 | A | 300/340/20 | A |
| 95/120/12 | A | 120/150/12 | A | 145/170/15 | A | 190/215/15 | AS | 310/340/15 | AS |
| 95/120/12 | AS | 120/150/12 | AS | 145/170/15 | AS | 190/215/16 | AS | 320/360/20 | A |
| 95/125/10 | AS | 120/150/13 | A | 145/175/15 | A | 190/220/15 | A | 320/360/20 | AS |
| 95/125/12 | A | 120/150/15 | AS | 145/175/15 | AS | 190/225/16 | A | 330/370/18 | A |
| 95/125/12 | AS | 120/160/12 | A | 145/180/12 | A | 190/225/16 | AS | 340/380/18 | A |
| 95/130/13 | AS | 120/160/15 | A | 145/180/13 | A | 190/230/16 | AS | 350/390/18 | A |
| 96/112/10 | A | 125/140/10 | A | 145/180/14 | A | 200/225/15 | A | 360/390/15 | AS |
| 100/120/12 | A | 125/143/13 | AS | 146/163/7 | A | 200/230/13 | A | 370/410/15 | A |
| 100/120/12 | AS | 125/150/12 | A | 148/170/14,5 | A | 200/230/15 | A | 380/420/20 | A |
| 100/125/12 | A | 125/150/12 | AS | 150/170/12 | A | 200/230/15 | AS | 380/420/20 | AS |
| 100/130/12 | A | 125/155/12 | A | 150/180/12 | A | 200/250/15 | A | 390/430/20 | A |
| 100/130/12 | AS | 125/155/12 | AS | 150/180/13 | A | 205/230/16 | A | 394/420/16 | A |
| 100/130/14 | A | 125/160/12 | A | 150/180/13 | AS | 207/240/16 | AS | 394/420/16 | AS |
| 100/150/13 | A | 128/150/13 | A | 150/180/15 | A | 210/240/15 | A | 400/440/20 | A |
| 100/160/12 | A | 128/158/20 | A | 155/175/12 | A | 210/250/15 | A | 420/460/20 | A |
| 100/180/13 | A | 130/150/10 | A | 155/185/15 | AS | 210/290/20 | A | 420/470/20 | AS |
| 102/115/10 | AS | 130/150/12 | AS | 160/180/10 | AS | 210/290/20 | AS | 440/480/20 | A |
| 104/130/10 | A | 130/150/15 | AS | 160/185/10 | A | 220/250/12 | A | 450/500/22 | A |
| 105/125/13 | A | 130/160/12 | A | 160/190/13 | A | 220/250/15 | A | 480/520/20 | A |
| 105/125/13 | AS | 130/160/12 | AS | 160/190/15 | A | 220/250/15 | AS | 480/520/20 | AS |
| 105/130/12 | A | 130/160/13 | A | 160/190/15 | AS | 220/255/16 | A | 500/540/20 | A |
| 105/130/12 | AS | 130/160/15 | A | 160/200/12 | A | 220/260/16 | A | 500/540/20 | AS |
| 105/130/15 | A | 130/160/15 | AS | 165/190/8 | AS | 230/260/15 | A | | |
| 105/135/15 | AS | 130/170/12 | A | 165/190/13 | A | 230/260/15 | AS | | |
| 105/140/12 | A | 130/170/13 | A | 165/200/15 | A | 230/280/15 | A | | |
| 110/130/8 | A | 130/230/15 | A | 168/190/16 | AS | 240/270/15 | A | | |
| 110/130/12 | A | 135/160/12 | A | 170/190/15 | A | 240/275/16 | A | | |
| 110/130/12 | AS | 135/160/15 | AS | 170/200/12 | A | 240/280/15 | A | | |
| 110/130/13 | A | 135/170/12 | A | 170/200/15 | A | 250/280/15 | A | | |
| 110/135/12 | A | 138/160/15 | A | 170/200/15 | AS | 250/285/18 | AS | | |
| 110/140/10 | A | 140/165/12 | A | 175/200/15 | A | 260/290/15 | A | | |
| 110/140/12 | A | 140/170/12 | A | 175/200/15 | AS | 260/300/20 | A | | |
| 110/140/13 | A | 140/170/12 | AS | 175/210/14 | A | 265/290/16 | A | | |